

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Hranitherm 600.30, Hranitherm 600.31, Hranitherm 600.39

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Hot melt adhesives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s.
J. Rýznerové 97, Komorovice
396 01 Humpolec - Czech Republic
T 565 501 210
help@ecomole.com - www.hranipex.cz

Supplier

Hranipex Ltd.
Unit 2 Radial Park, Birmingham Business Park
Birmingham, B37 7YN, United Kingdom
T 0121 767 9180 - F 0121 782 6250
hranipex@hranipex.co.uk - www.hranipex.co.uk

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request

2.3. Other hazards

Other hazards not contributing to the classification : The product does not meet the PBT and vPvB classification criteria.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
vinyl acetate	(CAS-No.) 108-05-4 (EC-No.) 203-545-4 (EC Index-No.) 607-023-00-0	0 - 0,5	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Carc. 2, H351 STOT SE 3, H335, note D

Comments : Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

First-aid measures after inhalation	: Remove person to fresh air and keep them warm and calm. Allow the victim to rest. If breathing is irregular or stopped, administer artificial respiration. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: In case the melted product gets on skin, cool immediately with cold water. . Do not pull solidified product away from the skin. Cover wounds with sterile bandage. Call a physician immediately.
First-aid measures after eye contact	: Rinse eyes with plenty of cool water for at least 10 minutes while pulling eyelides up. If eye irritation persists, consult a specialist.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Seek medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Carbon dioxide. Extinguishing powder.
Unsuitable extinguishing media	: Not stated.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: On burning: release of carbon monoxide - carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health. Do not breathe fumes from fires or vapours from decomposition.
--	---

5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area. Do not breathe vapours.
Firefighting instructions	: Use water to cool tanks/containers close to the heat source of fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Normal equipment for firefighters i.e. fire kit (EN 469), gloves (EN 659) and boots (HO specification A29 and A30) in combination with breathing apparatus (EN 137).
Other information	: High temperature decomposition products are harmful by inhalation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Spilled material may present a slipping hazard.
------------------	--

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel. Do not touch or walk on the spilled product.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Do not allow product to spread into the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. If the leakage area is clean the product can be re-used. Dispose in a safe manner in accordance with local/national regulations.
-------------------------	--

6.4. Reference to other sections

See Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Avoid dust formation.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in properly labelled containers.
Storage conditions	: Store in dry and well ventilated place. Keep away from heat and direct sunlight. Keep container closed when not in use. Store at room temperature.
Incompatible products	: Strong acids, strong bases and strong oxidants.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

vinyl acetate (108-05-4)		
EU	Local name	Vinyl acetate
EU	IOELV TWA (mg/m ³)	17,6 mg/m ³
EU	IOELV TWA (ppm)	5 ppm
EU	IOELV STEL (mg/m ³)	35,2 mg/m ³
EU	IOELV STEL (ppm)	10 ppm
Czech Republic	Local name	Vinylacetát
Czech Republic	Expoziční limity (PEL) (mg/m ³)	30 mg/m ³
Czech Republic	Expoziční limity (PEL) (ppm)	8,5 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m ³)	50 mg/m ³
Czech Republic	Expoziční limity (NPK-P) (ppm)	14 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves. EN 374

Eye protection:

Wear tight fitting safety glasses or facial screen

Skin and body protection:

Wear suitable protective clothing. Safety footwear

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In case of vapour formation use adequate respirator. EN 137

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Granulate.
Colour	: Colourless. White. Black.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 110 °C
Freezing point	: Not applicable
Boiling point	: > 300
Flash point	: > 220 °C
Auto-ignition temperature	: Not applicable

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

Decomposition temperature	: > 220 °C
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 1050 kg/l
Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
It does not have oxidising properties	: No data available.
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Upon heating, toxic fumes are formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

vinyl acetate (108-05-4)	
LD50 oral rat	3470 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	15,8 mg/l/4h

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

SECTION 12: Ecological information

12.1. Toxicity

- Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
- Acute aquatic toxicity : Not classified (Based on available data, the classification criteria are not met)
- Chronic aquatic toxicity : Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

Hranitherm 600.30 colorless, Hranitherm 600.31 white

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

Hranitherm 600.30 colorless, Hranitherm 600.31 white

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

Hranitherm 600.30 colorless, Hranitherm 600.31 white

Ecology - soil	Not established.
----------------	------------------

12.5. Results of PBT and vPvB assessment

Component

vinyl acetate (108-05-4)	This substance does not meet the PBT criteria of REACH regulation, annex XIII This substance does not meet the vPvB criteria of REACH regulation, annex XIII
--------------------------	---

12.6. Other adverse effects

- Other adverse effects : Not stated.
- Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Regional legislation (waste) : Disposal must be done according to official regulations.
- Waste treatment methods : Re-use, when possible. Collect all waste in suitable and labelled containers and dispose according to local legislation.
- Sewage disposal recommendations : Do not dispose of waste into sewer.
- Product/Packaging disposal recommendations : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
- Ecology - waste materials : Avoid release to the environment.
- European List of Waste (LoW) code : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP)

15.1.2. National regulations

Czech Republic

- Recommendations : Zákon č. 258/1011 Sb, o ochraně veřejného zdraví ve znění pozdějších předpisů.
 Czech Regulation : Zákon č. 350/2011 Sb, o chemických látkách a chemických směsích a o změně některých zákonů (chemický zákon).
 Zákon č. 477/2001 Sb. o obalech ve znění pozdějších předpisů a jeho prováděcí předpisy a další související předpisy.
 Zákon č. 185/2001 Sb, o odpadech a o změně některých dalších zákonů, v platném znění.
 Vyhláška č. 381/2001 Sb, kterou se stanoví Katalog odpadů, Seznam nebezpečných odpadů a seznamy odpadů a států pro účely vývozu, dovozu a tranzitu odpadů a postup při udělování souhlasu k vývozu, dovozu a tranzitu odpadů (Katalog odpadů).
 Nařízení vlády č. 9/2013 Sb, kterým se mění nařízení vlády č. 361/2007 Sb, kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů.
 Nařízení vlády č. 361/200, kterým se stanoví podmínky ochrany zdraví při práci, v platném znění.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
DNEL	Derived-No Effect Level
IMDG	International Maritime Dangerous Goods

Hranitherm 600.30; 600.31; 600.39

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23.06.2017

Version: 1.0

LOAEL	Lowest Observed Adverse Effect Level
-------	--------------------------------------

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Dissemination portal ECHA <https://echa.europa.eu/cs/search-for-chemicals>.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Other information : SDS was treated by EcoMole LTD. www.ecomole.com.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Carc. 2	Carcinogenicity, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
EUH210	Safety data sheet available on request

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product