Hranipex

Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 09/09/2014 Revision date: 24/07/2023 Supersedes version of: 05/05/2022

Version: 8.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Product name : Hranipur 15

: 9X03-H0MP-D00T-GE1Q UFI

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : One-component polyurethane adhesive.

Function or use category : Adhesives, Sealants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor Supplier

Hranipex Czech Republic k.s. Hranipex Ltd. J. Rýznerové 97, Komorovice Unit 2 Radial Park, Birmingham Business Park

CZ-396 01 Humpolec Birmingham, B37 7YN Czech Republic United Kingdom

T 565 501 210 T 0121 767 9180 - F 0121 782 6250

hranipex@hranipex.cz - www.hranipex.cz hranipex@hranipex.co.uk - www.hranipex.co.uk

E-mail address of competent person responsible for the SDS:

sds@regartis.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332 H315 Skin corrosion/irritation, Category 2



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 09/09/2014 Revision date: 24/07/2023 Supersedes version of: 05/05/2022 Version: 8.1

Serious eye damage/eye irritation, Category 2 H319

Respiratory sensitisation, Category 1 H334

Skin sensitisation, Category 1 H317

Carcinogenicity, Category 2 H351

Carcinogenicity, Category 2 H351 Specific target organ toxicity – Single exposure, Category 3, H335

Respiratory tract irritation

Specific target organ toxicity – Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Danger

Contains : Diphenylmethanediisocyanate, isomers and homologues

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

 $\ensuremath{\mathsf{P302+P352}}$ - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTRE or doctor if you feel unwell.

EUH-statements : EUH204 - Contains isocyanates. May produce an allergic reaction.

Extra phrases : As from 24 August 2023 adequate training is required before industrial or professional use.

2.3. Other hazards

Other hazards which do not result in classification

: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause irritation to the respiratory tract. Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Version: 8.1

Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 24/07/2023

Issue date: 09/09/2014

Supersedes version of: 05/05/2022

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diphenylmethanediisocyanate, isomers and homologues	CAS-No.: 9016-87-9 EC-No.: 618-498-9	10 – 60	Acute Tox. 4 (Inhalation), H332 (ATE=11 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
Propylene carbonate	CAS-No.: 108-32-7 EC-No.: 203-572-1 EC Index-No.: 607-194-00-1 REACH-no: 01-2119537232- 48-0002	≤ 5	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.4 Decemb	and a second contract	and the second and th
4.1. Descri	ption of first	aid measures

First-aid measures general	:	Call a poison center or a doctor if you feel unwell. If possible, show the doctor this safety
		data sheet. Failing this, show the doctor the packaging or label. Remove contaminated

clothing. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If unconscious, place in the

recovery position. Call a POISON CENTER/doctor.

First-aid measures after skin contact : Rinse and then wash skin thoroughly with water and soap. Obtain medical attention. First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention

: Rinse mouth. Do NOT induce vomiting. Call a physician immediately. First-aid measures after ingestion

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause respiratory irritation.

Symptoms/effects after skin contact Causes skin irritation. Redness. Swelling of the skin. May cause an allergic skin reaction.

Causes serious eye irritation. Exposed may experience eye tearing, redness and Symptoms/effects after eye contact

discomfort.

Symptoms/effects after ingestion May cause irritation to the digestive tract.

Chronic symptoms Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms of poisoning may not appear for several hours. It is recommended medical observation for at least 48 hours after the accident.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Carbon dioxide. Dry powder. For large fire: Alcohol-resistant foam. Use

extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

Safety Data Sheet

Hranipur 15



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 09/09/2014

Revision date: 24/07/2023 Supersedes version of: 05/05/2022 Version: 8.1

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire

: Thermal decomposition generates : Carbon monoxide. Carbon dioxide. Nitrogen oxides. Hydrocarbons. Hydrogen cyanide.

5.3. Advice for firefighters

Precautionary measures fire

: Do not allow contact with water.

Firefighting instructions

: Evacuate area. Exercise caution when fighting any chemical fire. Move containers from fire area if it can be done without personal risk. Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is no direct contact between the water and the product. Do not allow water to enter the vessels, a violent reaction may occur.

Protection during firefighting

: Do not breathe fumes from fires or vapours from decomposition. Do not enter fire area without proper protective equipment, including respiratory protection. Normal equipment for firefighters i.e. fire kit (EN 469), gloves (EN 659) and boots (HO specification A29 and A30)

in combination with breathing apparatus (EN 137).

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Do not allow contact with water. Keep unprotected persons away. Ensure adequate ventilation. Stop leak if safe to do so. Do not touch or walk on the spilled product. Do not breathe vapours. Avoid any direct contact with the product.

6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures

: Evacuate unnecessary personnel. Stop leaks if it can be done without personal risk. Keep away from Incompatible products. . Ventilate spillage area. Avoid inhalation of vapours.

Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Stop leak without risks if possible. Clean up any spills as soon as possible, using an absorbent material to collect it.

Methods for cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate area. Collect up the product and place it in a spare container suitably labelled. Store away from other materials. This material and its container must be

disposed of as hazardous waste.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Reacts violently on contact with water. Never introduce water or any aqueous agent into tanks or containers.

24/07/2023 (Revision date) GB - en 4/13



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 09/09/2014 Revision date: 24/07/2023 Supersedes version of: 05/05/2022

Version: 8.1

Precautions for safe handling

: Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Immediately remove contaminated clothing or footwear. Keep away from heat. Keep away from Incompatible products. . Keep only in original container. Keep container closed when not in use. Use personal protective equipment as required.

Hygiene measures

Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store and use with adequate ventilation. Store in dry protected location to prevent any

moisture contact.

Store in dry, cool, well-ventilated area. Store in original container. Keep container tightly Storage conditions

> closed to prevent moisture pick-up. Keep in properly labelled containers. . Store away from direct sunlight or other heat sources. Prevent unauthorised access. Store locked up.

Incompatible products Strong oxidizing agents. alcohols. amines. water.

Storage temperature 15 - 30 °C

Metal/plastic containers (barrels, canisters, cans) are valid for 12 months from the Packaging materials

production date, the IBC 6 months from date of production.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

Monitoring methods	
9	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. OSHA (Occupational Safety and Health Administration).

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Propylene carbonate (108-32-7)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	50 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	176 mg/m³		
Long-term - local effects, inhalation	20 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	25 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	43.5 mg/m³		
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.9 mg/l		
PNEC aqua (marine water) 0.09 mg/l			



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 09/09/2014	Revision date: 24/07/2	2023 Supersedes version of: 05/05/2022	Version: 8.1		
Propylene carbonate (108-32-	Propylene carbonate (108-32-7)				
PNEC aqua (intermittent, freshwate	r) 9	mg/l			
PNEC (Soil)	·				
PNEC soil	0.	81 mg/kg dwt			
PNEC (STP)					
PNEC sewage treatment plant	74	100 mg/l			

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Apply technical measures to comply with the occupational exposure limits. Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Consider the need for risk based health surveillance.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection. Tightly closed goggles (EN 166).

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Hand protection:

Wear protective gloves. Contaminated gloves must be decontaminated and disposed of. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Appropriate self-contained breathing apparatus may be required

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Do not allow into drains or water courses. Dispose of rinse water in accordance with local and national regulations.

Other information:

Immediately remove contaminated clothing or footwear. Wash protective equipment and clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 09/09/2014 Revision date: 24/07/2023 Supersedes version of: 05/05/2022 Version: 8.1

Colour : Brown. Odour : Not available Odour threshold : Not available Melting point : Not available Freezing point : Not available : Not available Boiling point : Non flammable. Flammability Explosive properties : Not explosive. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not applicable Decomposition temperature : Not available : Not available Viscosity, kinematic : Not available

Viscosity, dynamic : 3000 – 6000 mPa·s

Solubility : Not miscible or difficult to mix.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available

Density : 1.1 – 1.2 g/cm³ (20°C)

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with water. alcohols. amines. Reacts violently with strong acids and strong basis.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction on contact with: materials that contain active hydrogen groups. On contact with humidity, releases: carbon dioxide (CO2).

10.4. Conditions to avoid

Water, humidity. (humid air). Do not expose to heat. High temperature. Direct sunlight. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. alcohols. amines. water.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 24/07/2023 Supersedes version of: 05/05/2022

Issue date: 09/09/2014 Version: 8.1 : Harmful if inhaled. Acute toxicity (inhalation) **Hranipur 15** 20 mg/l/4h ATE CLP (dust, mist) Diphenylmethanediisocyanate, isomers and homologues (9016-87-9) LD50 oral rat > 10000 mg/kg (OECD 401) > 9400 mg/kg (OECD 402) LD50 dermal rabbit LC50 Inhalation - Rat (Dust/Mist) 11 mg/l/4h (ATE) Propylene carbonate (108-32-7) LD50 oral rat 29000 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity Suspected of causing cancer. Reproductive toxicity Not classified (Based on available data, the classification criteria are not met) STOT-single exposure May cause respiratory irritation. Diphenylmethanediisocyanate, isomers and homologues (9016-87-9) STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure. Diphenylmethanediisocyanate, isomers and homologues (9016-87-9) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Based on available data, the classification criteria are not met) 11.2. Information on other hazards 11.2.1. Endocrine disrupting properties Adverse health effects caused by endocrine : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified disrupting properties as having endocrine disrupting properties in accordance with the criteria set out in

Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

Potential adverse human health effects and symptoms

: Harmful if inhaled.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long-term

: Not classified (Based on available data, the classification criteria are not met)

(chronic)

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)			
LC50 - Fish [1] > 1000 mg/l (OECD 203)			
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202)		
EC50 - Other aquatic organisms [1]	> 100 mg/l Bacteria/100mL		
EC50 72h - Algae [1]	> 1640 mg/l (OECD 201)		

EC50 - Crustacea [1]



Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

> 500 mg/l

12.2. Persistence and degradability

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)			
Persistence and degradability	Not readily biodegradable.		
Biodegradation	0 % sediment		
Propylene carbonate (108-32-7)			
Persistence and degradability	Readily biodegradable.		
Biodegradation	> 90 % sediment		

12.3. Bioaccumulative potential

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)		
Bioconcentration factor (BCF REACH) 200		
Partition coefficient n-octanol/water (Log Pow)	8.56 sediment	

12.4. Mobility in soil

Hranipur 15	
Ecology - soil	No information available.

12.5. Results of PBT and vPvB assessment

Hranipur 15

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : Not known.

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not dispose of waste into sewer. Do not allow into drains or water courses.

Safety Data Sheet

Hranipur 15



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 09/09/2014

Revision date: 24/07/2023 Supersedes version of: 05/05/2022 Version: 8.1

Product/Packaging disposal recommendations

European List of Waste (LoW) code

Additional information

HP Code

Ecology - waste materials

: Dispose in a safe manner in accordance with local/national regulations. : Do not remove as household garbage. Do not allow water (or moist air) contact with this

material.

: Avoid release to the environment.

: 08 05 01* - waste isocyanates

15 01 10* - packaging containing residues of or contaminated by dangerous substances

: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence

HP4 - "Irritant - skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause

sensitising effects to the skin or the respiratory organs.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not regulated for transport						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shippin	g name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard o	class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information available						

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Issue date: 09/09/2014

Hranipex

Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 24/07/2023 Supersedes version of: 05/05/2022

sedes version of: 05/05/2022 Version: 8.1

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Hranipur 15; Diphenylmethanediisocyanate, isomers and homologues; Propylene carbonate	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

United Kingdom

British National Regulations

: Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste, in the valid wording.

UK REACH. GB CLP.

UK Waste Regulations.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes					
Section	Changed item	Change	Comments		
	Supersedes	Modified			
	Revision date	Modified			
2.2	Extra phrases	Added			

Abbreviations and acronyms:		
ADR	DR European Agreement concerning the International Carriage of Dangerous Goods by Road	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
IATA	International Air Transport Association	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 24/07/2023 Supersedes version of: 05/05/2022

Issue date: 09/09/2014 Version: 8.1 **Abbreviations and acronyms: IMDG** International Maritime Dangerous Goods RID Regulations concerning the International Carriage of Dangerous Goods by Rail **REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 **DNEL** Derived-No Effect Level **PNEC** Predicted No-Effect Concentration SDS Safety Data Sheet ATE Acute Toxicity Estimate LC50 Median lethal concentration LD50 Median lethal dose EC50 Median effective concentration NOEC No-Observed Effect Concentration **PBT** Persistent Bioaccumulative Toxic vPvB Very Persistent and Very Bioaccumulative

Volatile organic compounds (VOC):

Data sources

: ECHA Guidance on the compilation of safety data sheets ECHA C&L Inventory database. Supplier's safety documents.

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging. Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures. Safety training for chemicals handling.

Full text of H- and EUH-statements:			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Carc. 2	Carcinogenicity, Category 2		
EUH204	Contains isocyanates. May produce an allergic reaction.		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H335	May cause respiratory irritation.		
H351	Suspected of causing cancer.		
H373	May cause damage to organs through prolonged or repeated exposure.		
Resp. Sens. 1	Respiratory sensitisation, Category 1		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation		

Safety Data Sheet



Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 09/09/2014 Revision date: 24/07/2023 Supersedes version of: 05/05/2022

Version: 8.1

188ue date: 09/09/2014	Revision date: 24/0	07/2023 Supersedes version of: 05/05/2022 Version: 8.1				
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:						
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method				
Skin Irrit. 2	H315	Calculation method				
Eye Irrit. 2	H319	Calculation method				
Resp. Sens. 1	H334	Calculation method				
Skin Sens. 1	H317	Calculation method				
Carc. 2	H351	Calculation method				
STOT SE 3	H335	Calculation method				
STOT RE 2	H373	Calculation method				

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.