

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Version: 8.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : Hranipur 15
 UFI : 9X03-H0MP-D00T-GE1Q

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial/Professional use spec : For professional use only
 Use of the substance/mixture : One-component polyurethane adhesive.
 Function or use category : Adhesives, Sealants

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s.
 J. Rýznerové 97, Komorovice
 CZ 396 01 Humpolec
 Czech Republic
 T +420 565 501 211

cz-hranipex@hranipex.com, www.hranipex.cz

E-mail address of competent person responsible for the SDS :

sds@regartis.com

Supplier

Hranipex Ltd.
 Unit 2 Radial Park, Birmingham Business Park
 Birmingham, B37 7YN
 United Kingdom

T +44 121 767 9180, F 0121 782 6250

uk-hranipex@hranipex.com, www.hranipex.co.uk

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332
 Skin corrosion/irritation, Category 2 H315
 Serious eye damage/eye irritation, Category 2 H319
 Respiratory sensitisation, Category 1 H334
 Skin sensitisation, Category 1 H317

Hranipur 15

Issue date: 9/9/2014 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023 Version: 8.2

Carcinogenicity, Category 2	H351
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Specific target organ toxicity – Repeated exposure, Category 2	H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

: Danger

Contains

: Diphenylmethanediisocyanate, isomers and homologues

Hazard statements (CLP)

: H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation.
 H332 - Harmful if inhaled.
 H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 - May cause respiratory irritation.
 H351 - Suspected of causing cancer.
 H373 - May cause damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.

Precautionary statements (CLP)

: P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.
 P280 - Wear protective gloves, protective clothing, eye protection, face protection.
 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 - Call a doctor if you feel unwell.

EUH-statements

: EUH204 - Contains isocyanates. May produce an allergic reaction.

Extra phrases

: As from 24 August 2023 adequate training is required before industrial or professional use.

2.3. Other hazards

Other hazards which do not result in classification : Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material. Symptoms of excessive exposure to the respiratory tract to the product may persist for several hours. Dust, fumes and aerosols form a fundamental threat to the respiratory tract.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Version: 8.2

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diphenylmethanediisocyanate, isomers and homologues	CAS-No.: 9016-87-9 EC-No.: 618-498-9	50 – 100	Acute Tox. 4 (Inhalation), H332 (ATE=11 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
Propylene carbonate	CAS-No.: 108-32-7 EC-No.: 203-572-1 EC Index-No.: 607-194-00-1 REACH-no: 01-2119537232-48-0002	2.5 – 10	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell. If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label. Remove contaminated clothing. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If unconscious, place in the recovery position. Call a POISON CENTER/doctor.
First-aid measures after skin contact	: Rinse and then wash skin thoroughly with water and soap. Obtain medical attention.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a physician immediately.
Self protection of the first-aiders	: First aid workers will be equipped with suitable personal protective equipment. Remove the exposed person from the area contaminated with dust or gas, keep the person at rest in a warm area, even in the absence of symptoms. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. Redness. Swelling of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation. Exposed may experience eye tearing, redness and discomfort.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
Chronic symptoms	: Causes damage to organs through prolonged or repeated exposure.

Hranipur 15

Issue date: 9/9/2014

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 10/15/2025

Supersedes version of: 7/24/2023

Version: 8.2

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms of poisoning may not appear for several hours. It is recommended medical observation for at least 48 hours after the accident.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Carbon dioxide. Dry powder. For large fire: Alcohol-resistant foam. Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon monoxide. Carbon dioxide. Nitrogen oxides. Hydrocarbons. Hydrogen cyanide. Do not breathe fumes from fires or vapours from decomposition.

5.3. Advice for firefighters

- Precautionary measures fire : Do not allow contact with water.
- Firefighting instructions : Evacuate area. Exercise caution when fighting any chemical fire. Move containers from fire area if it can be done without personal risk. Cool down the containers/equipment exposed to heat with a water spray. Ensure that there is no direct contact between the water and the product. Do not allow water to enter the vessels, a violent reaction may occur.
- Protection during firefighting : Do not breathe fumes from fires or vapours from decomposition. Do not enter fire area without proper protective equipment, including respiratory protection. Normal equipment for firefighters i.e. fire kit (EN 469), gloves (EN 659) and boots (HO specification A29 and A30) in combination with breathing apparatus (EN 137).
- Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not allow contact with water. Keep unprotected persons away. Ensure adequate ventilation. Stop leak if safe to do so. Do not touch or walk on the spilled product. Do not breathe vapours. Avoid any direct contact with the product.

For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Evacuate unnecessary personnel. Stop leaks if it can be done without personal risk. Keep away from Incompatible products. . Ventilate spillage area. Avoid inhalation of vapours. Avoid contact with skin, eyes and clothing.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Stop leak without risks if possible. Clean up any spills as soon as possible, using an absorbent material to collect it.
- Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate area. Collect up the product and place it in a spare container suitably labelled. Store away from other materials. This material and its container must be disposed of as hazardous waste.

Hranipur 15

Issue date: 9/9/2014

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 10/15/2025

Supersedes version of: 7/24/2023

Version: 8.2

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Reacts violently on contact with water. Never introduce water or any aqueous agent into tanks or containers.
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Immediately remove contaminated clothing or footwear. Keep away from heat. Keep away from Incompatible products. . Keep only in original container. Keep container closed when not in use. Use personal protective equipment as required.
Hygiene measures	: Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke in areas where product is used. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Store and use with adequate ventilation. Store in dry protected location to prevent any moisture contact.
Storage conditions	: Store in dry, cool, well-ventilated area. Store in original container. Keep container tightly closed to prevent moisture pick-up. Keep in properly labelled containers. . Store away from direct sunlight or other heat sources. Prevent unauthorised access. Store locked up.
Incompatible products	: Strong oxidizing agents. alcohols. amines. water.
Storage temperature	: 15 – 30 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Recommended monitoring procedures

Monitoring methods

Monitoring methods	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. OSHA (Occupational Safety and Health Administration).
--------------------	---

DNEL and PNEC

Propylene carbonate (108-32-7)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	50 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	176 mg/m ³
Long-term - local effects, inhalation	20 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	43.5 mg/m ³
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025

Supersedes version of: 7/24/2023

Version: 8.2

Propylene carbonate (108-32-7)

PNEC (Water)

PNEC aqua (freshwater)	0.9 mg/l
PNEC aqua (marine water)	0.09 mg/l
PNEC aqua (intermittent, freshwater)	9 mg/l

PNEC (Soil)

PNEC soil	0.81 mg/kg dwt
-----------	----------------

PNEC (STP)

PNEC sewage treatment plant	7400 mg/l
-----------------------------	-----------

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Apply technical measures to comply with the occupational exposure limits. . Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Consider the need for risk based health surveillance.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Wear eye protection. tightly fitting safety goggles

Skin protection

Skin and body protection:

Long sleeved protective clothing. Chemical resistant safety shoes

Hand protection:

Wear protective gloves. Contaminated gloves must be decontaminated and disposed of. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves	Butyl rubber	6 (> 480 minutes)	≥ 0.5	x	EN ISO 374-1
Protective gloves	Neoprene	6 (> 480 minutes)	≥ 0.5	x	EN ISO 374-1
Protective gloves	Fluorinated rubber	6 (> 480 minutes)	≥ 0.4	x	EN ISO 374-1
Protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥ 0.35	x	EN ISO 374-1

Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Appropriate self-contained breathing apparatus may be required. Half mask with filter against organic vapors. Self-contained breathing apparatus if exposure limits are exceeded or in poorly ventilated areas. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025

Supersedes version of: 7/24/2023

Version: 8.2

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Do not allow into drains or water courses. Dispose of rinse water in accordance with local and national regulations.

Other information:

Immediately remove contaminated clothing or footwear. Wash protective equipment and clothing before reuse. Always wash hands after handling the product. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Brown
Odour	: Characteristic
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Explosive properties	: Not explosive.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Reacts violently with water.
Viscosity, kinematic	: 2500 – 5454.545 mm ² /s
Viscosity, dynamic	: 3000 – 6000 mPa·s
Solubility	: Not miscible or difficult to mix.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.1 – 1.2 g/cm ³ (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Avoid reaction with water (humidity) – gaseous carbon dioxide is produced. The product comes into exothermic reactions with materials containing active hydroxyl groups.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with water. Reacts with : alcohols. Amines. acids and bases.

10.4. Conditions to avoid

Water, humidity. (humid air). Do not expose to heat. High temperature. Direct sunlight. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents. alcohols. amines. water.

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Version: 8.2

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of carbon monoxide - carbon dioxide. Nitrogen oxides. Hydrocarbons. Hydrogen cyanide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
 Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
 Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

Hranipur 15	
ATE CLP (dust,mist)	1.5 mg/l/4h

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)	
LD50 oral rat	> 10000 mg/kg (OECD 401)
LD50 dermal rabbit	> 9400 mg/kg (OECD 402)
LC50 Inhalation - Rat (Dust/Mist)	11 mg/l/4h (ATE)

Propylene carbonate (108-32-7)	
LD50 oral rat	29000 mg/kg

Skin corrosion/irritation : Causes skin irritation.
 Serious eye damage/irritation : Causes serious eye irritation.
 Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
 Carcinogenicity : Suspected of causing cancer.
 Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
 STOT-single exposure : May cause respiratory irritation.

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure (inhalation).

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Hranipur 15	
Viscosity, kinematic	2500 – 5454.545 mm ² /s

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Other information

Potential adverse human health effects and symptoms : Harmful if inhaled.

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Version: 8.2

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)

LC50 - Fish [1]	> 1000 mg/l (OECD 203)
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202)
EC50 - Other aquatic organisms [1]	> 100 mg/l Bacteria/100mL
EC50 72h - Algae [1]	> 1640 mg/l (OECD 201)
NOEC chronic crustacea	> 10 mg/l (OECD 211)
NOEC chronic algae	1640 mg/l (OECD 201)

Propylene carbonate (108-32-7)

LC50 - Fish [1]	5300 mg/l
EC50 - Crustacea [1]	> 500 mg/l

12.2. Persistence and degradability

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)

Persistence and degradability	Not readily biodegradable.
Biodegradation	0 % sediment

Propylene carbonate (108-32-7)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 90 % sediment

12.3. Bioaccumulative potential

Diphenylmethanediisocyanate, isomers and homologues (9016-87-9)

Bioconcentration factor (BCF REACH)	200
Partition coefficient n-octanol/water (Log Pow)	8.56 sediment

12.4. Mobility in soil

Hranipur 15

Ecology - soil	No information available.
----------------	---------------------------

12.5. Results of PBT and vPvB assessment

Hranipur 15

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Hranipur 15

Issue date: 9/9/2014

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 10/15/2025

Supersedes version of: 7/24/2023

Version: 8.2

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : Not known.

Hranipur 15

Other information	Avoid release to the environment.
-------------------	-----------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Do not dispose of waste into sewer. Do not allow into drains or water courses.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Additional information : Do not remove as household garbage. Do not allow water (or moist air) contact with this material.
Ecological waste information : Avoid release to the environment.
European List of Waste (LoW, EC 2000/532) : 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances
15 01 10* - packaging containing residues of or contaminated by dangerous substances
HP Code : HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence
HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

Hranipur 15

Issue date: 9/9/2014

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 10/15/2025

Supersedes version of: 7/24/2023

Version: 8.2

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(b)	Hranipur 15 ; Diphenylmethanediisocyanate, isomers and homologues ; Propylene carbonate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Hranipur 15

Issue date: 9/9/2014

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Version: 8.2

National regulations

Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP)

United Kingdom

British National Regulations : Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives, in the valid wording.
 Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste, in the valid wording.
 UK Waste Regulations.
 UK REACH.
 GB CLP.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2.2	Precautionary statements (CLP)	Modified
2.2	Hazard statements (CLP)	Modified
2.3	Other hazards not contributing to the classification	Modified
3	Composition/information on ingredients	Modified
4	Self protection of the first-aider	Added
5.2	Hazardous decomposition products in case of fire	Modified
6.3	Other information	Removed
8.2	Respiratory protection	Modified
8.2	Hand protection	Modified
8.2	Skin and body protection	Modified
8.2	Eye protection	Modified
8.2	Other information	Modified
9	pH	Added
9	Odour	Added
10.1	Reactivity	Modified
10.3	Possibility of hazardous reactions	Modified
10.6	Hazardous decomposition products	Modified
11.1	ATE CLP (dust,mist)	Modified
13.1	European List of Waste (LoW, EC 2000/532)	Modified

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Issue date: 9/9/2014

Version: 8.2

Abbreviations and acronyms:

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DNEL	Derived-No Effect Level
PNEC	Predicted No-Effect Concentration
SDS	Safety Data Sheet
ATE	Acute Toxicity Estimate
LC50	Median lethal concentration
LD50	Median lethal dose
EC50	Median effective concentration
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
	Volatile organic compounds (VOC) :

Data sources : ECHA Guidance on the compilation of safety data sheets
 ECHA C&L Inventory database. Supplier's safety documents.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging. Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures. Safety training for chemicals handling.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure (inhalation).
EUH204	Contains isocyanates. May produce an allergic reaction.

Hranipur 15

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 10/15/2025 Supersedes version of: 7/24/2023

Issue date: 9/9/2014

Version: 8.2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Inhalation:dust,mist)	H332	Expert judgement
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.